

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/664,404

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

 **PALM INTRANET**Day : Thursday
Date: 3/30/2006
Time: 11:29:32

Inventor Information for 10/664404

| Inventor Name | City | State/Country |
|-----------------|---------|---------------|
| SHEN, JUN | PHOENIX | ARIZONA |
| WEI, CHENG PING | GILBERT | ARIZONA |
| GORANSON, MARK | MESA | ARIZONA |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)[Inventors](#)Search Another: Application# [Search](#)or Patent# [Search](#)PCT / / [Search](#)or PG PUBS # [Search](#)Attorney Docket # [Search](#)Bar Code # [Search](#)

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | |
|-------------------------|----------|--|------------|--|--|
| US 20060069482 A1 | 20060330 | Deployment immunity method for a supplemental restraint | 701/45 | 180/271; 280/735 | Shen; Junqiang |
| US 20060057958 A1 | 20060316 | Method of creating active multipaths for mimo wireless systems | 455/7 | 370/315 | Ngo; Chiu et al. |
| US 20060056281 A1 | 20060316 | Method and system for time-domain transmission diversity in orthogonal frequency division multiplexing | 370/208 | | Ngo; Chiu et al. |
| US 20060056181 A1 | 20060316 | Heat dissipation structure for ellipsoidal lamps | 362/294 | | Wang; Cheng et al. |
| US 20060055491 A1 | 20060316 | Packaging of a micro-magnetic switch with a patterned permanent magnet | 335/78 | | Shen; Jun et al. |
| US 20060055048 A1 | 20060316 | Method of wet etching vias and articles formed thereby | 257/774 | 257/622; 257/627 | Subramanian; Kanakasabapathi et al. |
| US 20060049900 A1 | 20060309 | Micro-magnetic latching switches with a three-dimensional solenoid coil | 335/78 | | Ruan; Meichun et al. |
| US 20060044088 A1 | 20060302 | Reconfigurable power transistor using latching micromagnetic switches | 335/78 | | Vaitkus; Rimantas et al. |
| US 20060043019 A1 | 20060302 | Non-woven fabric filter and wastewater treatment with activated sludge process using the non-woven fabric filter | 210/631 | | Hu; Yen-Jung et al. |
| US 20060024860 A1 | 20060202 | Semiconductor apparatus and process for fabricating the same | 438/99 | 438/149; 438/151; 438/161; 438/82 | Wada; Masaru et al. |
| US 20060006347 A1 | 20060112 | Method for preventing wafer surface from bombardment by micro-dust particles during the ion implantation process | 250/492.21 | | Lin; Wei-Cheng |
| US 20060004289 | 20060105 | High sensitivity capacitive | 600/459 | | Tian; Wei-Cheng et al. |

| | | | | | |
|-------------------------|----------|---|------------|---------|--------------------------|
| A1 | | micromachined ultrasound transducer | | | |
| US 20050285703 A1 | 20051229 | Apparatus utilizing latching micromagnetic switches | 335/78 | | Wheeler, Charles et al. |
| US 20050284470 A1 | 20051229 | Method and apparatus for micro-environment control | 128/200.14 | | Wei, Chengping et al. |
| US 20050270014 A1 | 20051208 | Micro-electromechanical system (MEMS) based current & magnetic field sensor having capacitive sense components | 324/126 | | Zribi, Anis et al. |
| US 20050270013 A1 | 20051208 | MEMS based current sensor using magnetic-to-mechanical conversion and reference components | 324/126 | | Berkcan, Ertugrul et al. |
| US 20050269915 A1 | 20051208 | Long-stroke, high-resolution nanopositioning mechanism | 310/369 | | Pan, Shan-Peng et al. |
| US 20050268926 A1 | 20051208 | Cigarette | 131/337 | | Hsu, Wei-Cheng et al. |
| US 20050262943 A1 | 20051201 | Apparatus, methods, and systems to detect an analyte based on changes in a resonant frequency of a spring element | 73/579 | | Claydon, Glenn et al. |
| US 20050256765 A1 | 20051117 | Differentiated web advertising services in display devices | 705/14 | | Lin, Wei-Cheng et al. |
| US 20050253268 A1 | 20051117 | Method and structure for improving adhesion between intermetal dielectric layer and cap layer | 257/758 | | Hsu, Shao-Ta et al. |
| US 20050223100 A1 | 20051006 | Rendering a first media type content on a browser | 709/228 | 709/229 | Chen, Meng-Cheng et al. |
| US 20050214931 | 20050929 | SYSTEM AND METHOD FOR | 435/287.2 | | Kuo, Terry B.J. et al. |

| | | | | | |
|-------------------------|----------|--|----------|------------------------|--------------------------|
| A1 | | ANALYZING BIOCHIP | | | |
| US 20050213827 A1 | 20050929 | Method and apparatus for displaying multimedia information | 382/232 | | Chen, Jeng-Chun et al. |
| US 20050207379 A1 | 20050922 | Method, system, gateway and user device for receiving/sending multimedia message | 370/338 | | Shen, Jun et al. |
| US 20050187601 A1 | 20050825 | Method for moderation of back pain | 607/144 | | Wang, Wei-Cheng |
| US 20050156808 A1 | 20050721 | Structure for communication probe components | 343/895 | 343/702 | Chung, Wei-Cheng |
| US 20050143668 A1 | 20050630 | Automatic diagnosing method for autonomic nervous system and device thereof | 600/509 | | Lu, Kun-Shan et al. |
| US 20050140229 A1 | 20050630 | Magnetic suspension bearing | 310/90.5 | | Wang, Chien-Chang et al. |
| US 20050136432 A1 | 20050623 | Mycobacterial disease detection chip and fabrication method thereof and method of detecting mycobacterial disease and primer set for mycobacterial disease and drug resistance detection | 435/6 | 427/2.11; 435/287.2 | Lu, Kun-Shan et al. |
| US 20050130186 A1 | 20050616 | Meningitis detection chip and fabrication method thereof and method of detecting meningitis and primer set for meningitis detection | 435/6 | 427/2.11; 435/287.2 | Lu, Kun-Shan et al. |
| US 20050130185 A1 | 20050616 | Sepsis detection chip and fabrication method thereof and method of detecting sepsis | 435/6 | 427/2.11; 435/287.2 | Lu, Kun-Shan et al. |
| US 20050109081 A1 | 20050526 | Miniaturized multi-gas and vapor sensor devices and associated | 73/31.05 | | Zribi, Anis et al. |

| | | | | | |
|-------------------------|----------|--|-----------|--|-------------------------|
| | | methods of fabrication | | | |
| US 20050103168 A1 | 20050519 | Hand tool having positioning and locking joint | 81/177.7 | | Wei, Cheng-Yu |
| US 20050101006 A1 | 20050512 | Preparation and surface modification of plastic microfluidic chip | 435/287.1 | 427/2.11 | Cheng, Ji-Yen et al. |
| US 20050088534 A1 | 20050428 | Color correction for images forming a panoramic image | 348/218.1 | 382/269; 382/284 | Shen, Junxing et al. |
| US 20050083157 A1 | 20050421 | Micro magnetic latching switches and methods of making same | 335/78 | | Shen, Jun et al. |
| US 20050083156 A1 | 20050421 | Micro magnetic non-latching switches and methods of making same | 335/78 | | Shen, Jun et al. |
| US 20050057329 A1 | 20050317 | Laminated relays with multiple flexible contacts | 335/78 | | Shen, Jun et al. |
| US 20050056828 A1 | 20050317 | Semiconductor device and method for manufacturing same | 257/40 | 257/288; 257/E51.047; 438/151; 438/99 | Wada, Masaru et al. |
| US 20050052567 A1 | 20050310 | Digital Camera | 348/373 | | Huang, Wei-Cheng et al. |
| US 20050051513 A1 | 20050310 | METHOD OF FORMING A LANDING ZONE FOR MAGNETIC RECORDING MEDIA | 216/22 | | Wei, Cheng-Sung et al. |
| US 20050049653 A1 | 20050303 | Stimulating device for stimulating muscle and vital points of a human body | 607/48 | | Wang, Wei-Cheng |
| US 20050023231 A1 | 20050203 | Substrate supporting rod and substrate cassette using the same | 211/41.18 | 211/183 | Huang, Chui-Kai et al. |
| US 20050012576 A1 | 20050120 | Wafer-level tester with magnet to test latching micro-magnetic switches | 335/78 | | Wei, Cheng Ping et al. |
| US 20050007218 | 20050113 | Micro-magnetic latching switch with | 335/78 | | Shen, Jun et al. |

| | | | | | |
|-------------------------|----------|---|----------|---------------------|--------------------------|
| A1 | | relaxed permanent magnet alignment requirements | | | |
| US 20040263055 A1 | 20041230 | Electrode substrate of flat panel display | 313/495 | 313/311 | Chao, Chin-Hsiao et al. |
| US 20040234570 A1 | 20041125 | Biodegradable fishing lure and material | 424/409 | | Ollis, Howard D. et al. |
| US 20040227599 A1 | 20041118 | Latchable, magnetically actuated, ground plane-isolated radio frequency microswitch and associated methods | 335/78 | | Shen, Jun et al. |
| US 20040227421 A1 | 20041118 | Magnetic suspension bearing | 310/90.5 | | Wang, Chien-Chang et al. |
| US 20040183633 A1 | 20040923 | Laminated electro-mechanical systems | 335/78 | | Shen, Jun et al. |
| US 20040170662 A1 | 20040902 | Biodegradable fishing lure and material | 424/410 | | Ollis, Howard D. et al. |
| US 20040147238 A1 | 20040729 | ANALOG DEMODULATOR IN A LOW-IF RECEIVER | 455/208 | 455/205 | Wang, Shou-Tsung et al. |
| US 20040139981 A1 | 20040722 | Cosmetic mask | 132/319 | | Liu, Wei-Cheng |
| US 20040121505 A1 | 20040624 | Method for fabricating a gold contact on a microswitch | 438/48 | 438/57; 438/686 | Tam, Gordon et al. |
| US 20040111128 A1 | 20040610 | Computer-aided automatic vital acupuncture point alignment and electronic acupuncture method and a system to perform the method | 607/46 | | Wang, Wei-Cheng |
| US 20040069997 A1 | 20040415 | Method and apparatus for multiboard fiber optic modules and fiber optic module arrays | 257/81 | | Dair, Edwin et al. |
| US 20040057237 | 20040325 | Landscape light fixture | 362/307 | 362/359; 362/371 | Cutting, Steven B. |

| | | | | | |
|-------------------------|----------|--|---------|---|--------------------------|
| A1 | | | | | |
| US 20040056016 A1 | 20040325 | Microelectromechanical heating apparatus and fluid preconcentrator device utilizing same | 219/408 | 219/385 | Tian, Wei-Cheng et al. |
| US 20040037517 A1 | 20040226 | Methods and apparatus for fiber-optic modules with shielded housings/covers with fingers | 385/92 | | Dair, Edwin et al. |
| US 20040031927 A1 | 20040219 | Indicating apparatus for skin protection against sunshine | 250/372 | | Tsai, Feng-Nien et al. |
| US 20040027218 A1 | 20040212 | Latching micro magnetic relay packages and methods of packaging | 335/78 | 257/E23.193 | Stafford, John et al. |
| US 20040013346 A1 | 20040122 | ELECTRONICALLY LATCHING MICRO-MAGNETIC SWITCHES AND METHOD OF OPERATING SAME | 385/17 | | Ruan, Meichun et al. |
| US 20030227327 A1 | 20031211 | High switching speed differential amplifier | 330/253 | | Lin, Wei-Cheng |
| US 20030224598 A1 | 20031204 | Tungsten plug with conductor capping layer | 438/666 | 257/E21.585; 438/656; 438/672; 438/685 | Lee, Wei-Cheng et al. |
| US 20030222740 A1 | 20031204 | Latching micro-magnetic switch with improved thermal reliability | 335/78 | | Ruan, Meichun et al. |
| US 20030179058 A1 | 20030925 | System and method for routing input signals using single pole single throw and single pole double throw latching micro-magnetic switches | 335/78 | | Vaitkus, Rimantas et al. |
| US 20030179057 A1 | 20030925 | Packaging of a micro-magnetic switch with a patterned permanent magnet | 335/78 | | Shen, Jun et al. |
| US | 20030925 | Components | 335/78 | | Wheeler, |

| | | | | | |
|-------------------------|----------|---|------------|--|-----------------------------|
| 20030179056 A1 | | implemented using latching micro- magnetic switches | | | Charles et al. |
| US 20030177159 A1 | 20030918 | Dynamic machine synthesis for wireless device access and management | 718/1 | | Li, Wei et al. |
| US 20030173957 A1 | 20030918 | Micro magnetic proximity sensor | 324/207.26 | 324/174; 73/511; 73/514.31; 73/514.37 | Shen, Jun et al. |
| US 20030169135 A1 | 20030911 | Latching micro- magnetic switch array | 335/78 | | Shen, Jun et al. |
| US 20030152339 A1 | 20030814 | Methods and apparatus for fiber-optic modules with shielded housing/covers having a front portion and a back portion | 385/92 | | Dair, Edwin et al. |
| US 20030152331 A1 | 20030814 | Methods and apparatus for fiber-optic modules with shielded housing/covers having mixed finger types | 385/59 | | Dair, Edwin et al. |
| US 20030151479 A1 | 20030814 | LATCHING MICRO MAGNETIC RELAY PACKAGES AND METHODS OF PACKAGING | 335/78 | 257/E23.193 | Stafford, John et al. |
| US 20030137374 A1 | 20030724 | Micro-Magnetic Latching switches with a three-dimensional solenoid coil | 335/78 | | Ruan, Meichun et al. |
| US 20030116535 A1 | 20030626 | Method and apparatus for removing coating layers from alignment marks on a wafer | 216/83 | | Tsai, Pang-Yen et al. |
| US 20030095376 A1 | 20030522 | Casing for electronic devices and method for producing the same | 361/683 | | Liang, Yuan- Chen et al. |
| US 20030066231 A1 | 20030410 | Biodegradable fishing lure and material | 43/42.24 | | Ollis, Howard D. et al. |
| US 20030034922 | 20030220 | Resonant antennas | 343/702 | 343/787 | Isaacs, Eric D. et al. |

| | | | | | |
|-------------------------|----------|---|---------|----------------------|------------------------------|
| A1 | | | | | |
| US 20030031430 A1 | 20030213 | Light bending optical block for fiber optic modules | 385/92 | | Jiang, Wenbin et al. |
| US 20030025580 A1 | 20030206 | Apparatus utilizing latching micromagnetic switches | 335/78 | 335/167 | Wheeler, Charles et al. |
| US 20030020986 A1 | 20030130 | Method and apparatus for pluggable fiber optic modules | 398/139 | | Pang, Ron Cheng Chuan et al. |
| US 20030016250 A1 | 20030123 | Computer user interface for perception-based information retrieval | 715/810 | | Chang, Edward Y. et al. |
| US 20030011450 A1 | 20030116 | Micromagnetic latching switch packaging | 335/78 | | Shen, Jun et al. |
| US 20030001704 A1 | 20030102 | Micro machined RF switches and methods of operating the same | 335/78 | | Shen, Jun et al. |
| US 20020196112 A1 | 20021226 | Electronically switching latching micro-magnetic relay and method of operating same | 335/78 | | Ruan, Meichun et al. |
| US 20020196110 A1 | 20021226 | Reconfigurable power transistor using latching micromagnetic switches | 335/78 | | Vaitkus, Rimantas et al. |
| US 20020121951 A1 | 20020905 | Micro-magnetic latching switch with relaxed permanent magnet alignment requirements | 335/78 | | Shen, Jun et al. |
| US 20020110338 A1 | 20020815 | Fiber-optic modules with shielded housing/covers having mixed finger types | 385/92 | 385/88 | Dair, Edwin et al. |
| US 20020110336 A1 | 20020815 | Fiber-optic modules with housing/shielding | 385/92 | | Dair, Edwin et al. |
| US 20020105763 A1 | 20020808 | Motor-driven curtain assembly and motor control device therefor | 361/31 | 361/58; 361/93.9 | Yeh, Wei-Cheng |
| US 20020077095 A1 | 20020620 | Speech enabled wireless device management and an access platform and | 455/420 | 455/41.2; 455/564 | Fu, Rongyao et al. |

| | | | | | |
|-------------------------|----------|--|---------|---------------------|--------------------------|
| | | related control methods thereof | | | |
| US 20020076173 A1 | 20020620 | METHOD AND APPARATUS FOR VERTICAL BOARD CONSTRUCTION OF FIBER OPTIC TRANSMITTERS, RECEIVERS AND TRANSCEIVERS | 385/92 | 385/93 | JIANG , WENBIN et al. |
| US 20020050880 A1 | 20020502 | Electronically switching latching micro-magnetic relay and method of operating same | 335/78 | | Ruan, Meichun et al. |
| US 20020047045 A1 | 20020425 | Embedded smart card reader for handheld-computing devices | 235/441 | | Song, Song et al. |
| US 20020033979 A1 | 20020321 | Method and apparatus for multiboard fiber optic modules and fiber optic module arrays | 398/164 | 385/14; 398/139 | Dair, Edwin et al. |
| US 20020030872 A1 | 20020314 | Method and apparatus for multiboard fiber optic modules and fiber optic module arrays | 398/135 | 385/14 | Dair, Edwin et al. |
| US 20020028048 A1 | 20020307 | Method and apparatus for multiboard fiber optic modules and fiber optic module arrays | 385/92 | 385/89 | Dair, Edwin et al. |
| US 20020021860 A1 | 20020221 | Optical MEMS switching array with embedded beam-confining channels and method of operating same | 385/18 | | Ruan, Meichun et al. |
| US 20010048793 A1 | 20011206 | Method and apparatus for multiboard fiber optic modules and fiber optic module arrays | 385/92 | 385/49; 385/88 | Dair, Edwin et al. |
| US 20010030789 A1 | 20011018 | Method and apparatus for fiber optic modules | 398/164 | 398/139 | Jiang, Wenbin et al. |
| US 20010024066 A1 | 20010927 | Handheld device, smart card interface device (IFD) and data | 307/116 | 307/134; 361/149 | Fu, RongYao et al. |

| | | | | | |
|---------------|----------|---|---------|--|-------------------------|
| | | transmission method | | | |
| US 7013088 B1 | 20060314 | Method and apparatus for parallel optical interconnection of fiber optic transmitters, receivers and transceivers | 398/139 | 385/88; 385/92 | Jiang; Wenbin et al. |
| US 7005876 B2 | 20060228 | Wafer-level tester with magnet to test latching micro-magnetic switches | 324/765 | 324/158.1 | Wei; Cheng Ping et al. |
| US 6993398 B2 | 20060131 | Dynamic machine synthesis for wireless device access and management | 700/90 | 455/41.2; 700/4; 709/226 | Li; Wei et al. |
| US D511181 S | 20051101 | Digital video camera | D16/202 | | Huang; Wei-Cheng et al. |
| US 6952532 B2 | 20051004 | Method and apparatus for multiboard fiber optic modules and fiber optic module arrays | 398/139 | 385/88; 385/92; 398/135 | Dair; Edwin et al. |
| US 6914220 B2 | 20050705 | Microelectromechanical heating apparatus and fluid preconcentrator device utilizing same | 219/408 | 219/385; 422/68.1; 422/88; 422/98 | Tian; Wei-Cheng et al. |
| US 6901221 B1 | 20050531 | Method and apparatus for improved optical elements for vertical PCB fiber optic modules | 398/138 | 385/14; 385/24; 385/92 | Jiang; Wenbin et al. |
| US 6895242 B2 | 20050517 | Speech enabled wireless device management and an access platform and related control methods thereof | 455/420 | 704/270; 704/270.1; 704/275 | Fu; Rongyao et al. |
| US 6894592 B2 | 20050517 | Micromagnetic latching switch packaging | 335/78 | 200/181 | Shen; Jun et al. |
| US 6883941 B2 | 20050426 | Landscape light fixture | 362/371 | 315/56; 315/57; 362/352; 362/359 | Cutting; Steven B. |
| US 6874953 B2 | 20050405 | Methods and apparatus for fiber-optic modules with shielded housings/covers with | 385/92 | 439/607 | Dair; Edwin et al. |

| | | | | | |
|------------------|----------|--|----------|---|-------------------------|
| | | fingers | | | |
| US 6873800 B1 | 20050329 | Hot pluggable optical transceiver in a small form pluggable package | 398/138 | 385/14 | Wei; Cheng Ping et al. |
| US 6840686 B2 | 20050111 | Method and apparatus for vertical board construction of fiber optic transmitters, receivers and transceivers | 385/92 | | Jiang; Wenbin et al. |
| US 6836194 B2 | 20041228 | Components implemented using latching micro-magnetic switches | 333/105 | 333/262 | Wheeler; Charles et al. |
| US 6835649 B2 | 20041228 | Tungsten plug with conductor capping layer | 438/629 | 257/752; 257/763; 257/E21.585; 438/631; 438/672 | Lee; Wei-Cheng et al. |
| US 6794965 B2 | 20040921 | Micro-magnetic latching switch with relaxed permanent magnet alignment requirements | 335/78 | 200/181 | Shen; Jun et al. |
| US 6784735 B2 | 20040831 | High switching speed differential amplifier | 330/253 | 327/374 | Lin; Wei-Cheng |
| US 6778046 B2 | 20040817 | Latching micro magnetic relay packages and methods of packaging | 335/78 | 200/181; 257/E23.193; 335/80 | Stafford; John et al. |
| US 6772895 B2 | 20040810 | Casing for electronic devices and method for producing the same | 220/4.22 | 206/701; 220/4.02 | Liang; Yuan-Chen et al. |
| US 6753004 B2 | 20040622 | Biodegradable fishing lure and material | 424/410 | 424/418; 424/421; 424/442; 424/485; 424/488; 424/84; 426/2; 43/42; 43/42.24; 43/42.37 | Ollis; Howard D. et al. |
| US 6750745 B1 | 20040615 | Micro magnetic switching apparatus and method | 335/78 | | Wei; Chengping et al. |
| US 6703713 | 20040309 | Window-type multi- | 257/777 | 257/723; | Tseng; Wei- |

| | | | | | |
|------------------|----------|--|------------|--|-----------------------|
| B1 | | chip semiconductor package | | 257/784; 257/787; 257/E25.013 | Cheng et al. |
| US 6661392 B2 | 20031209 | Resonant antennas | 343/911R | 343/753; 343/911L | Isaacs; Eric D et al. |
| US 6659655 B2 | 20031209 | Fiber-optic modules with housing/shielding | 385/92 | 439/607 | Dair; Edwin et al. |
| US 6649077 B2 | 20031118 | Method and apparatus for removing coating layers from alignment marks on a wafer | 216/92 | 156/345.19; 156/345.23; 156/345.51; 156/915; 216/100; 216/105; 216/106; 438/401; 438/748; 438/754; 438/975 | Tsai; Pang-Yen et al. |
| US 6639493 B2 | 20031028 | Micro machined RF switches and methods of operating the same | 335/78 | 200/181; 333/101 | Shen; Jun et al. |
| US 6637458 B1 | 20031028 | Floating plug valve apparatus for storing and dispensing high purity liquid | 137/587 | 137/493.9 | Lee; Wei-Cheng et al. |
| US 6633212 B1 | 20031014 | Electronically latching micro-magnetic switches and method of operating same | 335/78 | 200/181; 257/414; 359/290 | Ruan; Meichun et al. |
| US 6633158 B1 | 20031014 | Micro magnetic proximity sensor apparatus and sensing method | 324/207.26 | 324/207.13; 324/207.24; 335/128; 335/78 | Shen; Jun et al. |
| US 6632030 B2 | 20031014 | Light bending optical block for fiber optic modules | 385/93 | 385/14; 385/88; 385/89; 385/92 | Jiang; Wenbin et al. |
| US 6624883 B1 | 20030923 | Method of and apparatus for determining wood grain orientation | 356/237.1 | 250/559.25 | Zhou; Jianqin et al. |
| US 6607308 B2 | 20030819 | Fiber-optic modules with shielded housing/covers having mixed finger types | 385/92 | 439/607 | Dair; Edwin et al. |
| US 6603644 | 20030805 | Motor-driven curtain | 361/31 | 361/23; | Yeh; Wei-Cheng |

| | | | | | |
|------------------|----------|---|---------|---|------------------------|
| B2 | | assembly and motor control device therefor | | 361/93.1 | |
| US 6550663 B2 | 20030422 | Desktop soldering dispenser with automatic metering and feeding of soldering wire | 228/102 | 228/103; 228/247; 228/41; 228/8 | Poletaev; Leonid |
| US 6539360 B1 | 20030325 | Special handling processing in a package transportation system | 705/28 | 700/215; 705/22 | Kadaba; Nagesh |
| US 6496612 B1 | 20021217 | Electronically latching micro-magnetic switches and method of operating same | 385/18 | | Ruan; Meichun et al. |
| US 6483799 B1 | 20021119 | Rewritable DVD-RAM disc | 720/718 | | Chao; Zu-Wen et al. |
| US 6469603 B1 | 20021022 | Electronically switching latching micro-magnetic relay and method of operating same | 335/78 | 257/531 | Ruan; Meichun et al. |
| US 6469602 B2 | 20021022 | Electronically switching latching micro-magnetic relay and method of operating same | 335/78 | 335/128 | Ruan; Meichun et al. |
| US 6415400 B1 | 20020702 | Method of managing defect areas on an erasable optical disc in a dynamic manner | 714/723 | 714/710 | Wu; Guo-Zua et al. |
| US 6412381 B1 | 20020702 | Venetian blind cutting machine | 83/454 | 83/468.7; 83/478 | Wang; Wei-Cheng et al. |
| US 6403992 B1 | 20020611 | Complementary metal-oxide semiconductor device | 257/204 | 257/206; 257/357; 257/500; 257/E27.064 | Wei; Cheng-Ta |
| US 6394752 B1 | 20020528 | Link structure for rods | 416/5 | 362/96; 403/349; 446/217 | Lai; Wei-Cheng |
| US 6369359 B1 | 20020409 | Self-feeding soldering device | 219/229 | 219/230; 219/241; 228/53 | Morrison; Terry H. |
| US 6354472 B1 | 20020312 | Filament style glue applicator | 222/391 | 219/229; 222/146.5 | Bridges; Mark E. |
| US 6302560 B1 | 20011016 | Decoration lamp holder | 362/249 | 362/145; 362/252; | Lai; Wei-Cheng |

| | | | | | |
|------------------|----------|--|-----------|--|----------------------------|
| | | | | 362/391 | |
| US 6280454 B1 | 20010828 | Head acupuncture instrument | 606/189 | 600/383; 600/384 | Wang; Wei-Cheng |
| US 6257046 B1 | 20010710 | Method and apparatus for determining electrostatic force present in an object | 73/7 | | Chu; Wei-Cheng et al. |
| US 6213651 B1 | 20010410 | Method and apparatus for vertical board construction of fiber optic transmitters, receivers and transceivers | 385/92 | 385/88; 385/89; 385/93 | Jiang; Wenbin et al. |
| US 6199281 B1 | 20010313 | Method of preparing a hearth roll with a coating | 29/895.32 | 29/895.21; 427/453; 427/456; 492/58 | Lee; Yuh-Wen et al. |
| US 6196700 B1 | 20010306 | Folding plastic skeleton | 362/249 | 362/250 | Lai; Wei-Cheng |
| US 6135617 A | 20001024 | Folding illumination skeleton | 362/249 | 362/252; 362/396 | Lai; Wei-Cheng |
| US 6124349 A | 20000926 | Method for preparation of pharmaceutical-grade dithiocarbamate | 514/476 | 564/74; 564/75 | Vassilev; Vassil P. et al. |
| US D427969 S | 20000711 | Power inverter | D13/110 | | Wei; Cheng Tsung |
| US D427148 S | 20000627 | Power inverter | D13/110 | | Wei; Cheng Tsung |
| US D427147 S | 20000627 | Power inverter | D13/110 | | Wei; Cheng Tsung |
| US D427146 S | 20000627 | Power inverter | D13/110 | | Wei; Cheng Tsung |
| US D426810 S | 20000620 | Power inverter | D13/110 | | Wei; Cheng Tsung |
| US 6068389 A | 20000530 | Fixture for a light bulb holder on a light string to connect with a frame | 362/396 | 362/249; 362/250; 362/252; 362/422 | Lai; Wei-Cheng |
| US 6029734 A | 20000229 | Venetian blind provided with slat-lifting mechanism having a concealed pull cord | 160/170 | | Wang; Wei-Cheng et al. |
| US 6024154 A | 20000215 | Venetian blind lifting mechanism provided with concealed pull cords | 160/170 | 160/168.1R | Wang; Wei-Cheng et al. |

| | | | | | |
|-----------------|----------|---|-----------|---|--------------------------|
| US 6012506 A | 20000111 | Venetian blind provided with slat-lifting mechanism having constant force equilibrium | 160/170 | 160/192 | Wang; Wei-Cheng et al. |
| US 6010236 A | 20000104 | Connector for connecting a bulb holder with a lamp shield | 362/396 | 362/363; 362/391; 362/806 | Lai; Wei-Cheng |
| US 5976636 A | 19991102 | Magnetic apparatus for arc ion plating | 427/531 | 204/192.38; 204/298.41; 427/566; 427/580 | Leu; Ming-Sheng et al. |
| US 5929845 A | 19990727 | Image scanner and display apparatus | 345/156 | | Wei; Chengping et al. |
| US 5923308 A | 19990713 | Array of leds with active pull down shadow canceling circuitry | 345/44 | 345/45; 345/46; 345/76; 345/82 | Wei; Cheng-Ping et al. |
| US 5883404 A | 19990316 | Complementary heterojunction semiconductor device | 257/192 | 257/194; 257/369; 257/E27.012; 257/E27.062 | Goronkin; Herbert et al. |
| US 5873760 A | 19990223 | Method of forming an electroluminescent array | 445/24 | | Wei; Cheng-Ping et al. |
| US 5818316 A | 19981006 | Nonvolatile programmable switch | 335/78 | 335/179 | Shen; Jun et al. |
| US 5784141 A | 19980721 | Bi-stable non-pixelated phase spatial light modulator for enhanced display resolution and method of fabrication | 349/191 | 349/163; 349/202 | Chen; Diana et al. |
| US 5764679 A | 19980609 | Mode locked laser with negative differential resistance diode | 372/69 | 372/18 | Shen; Jun et al. |
| US 5747363 A | 19980505 | Method of manufacturing an integrated electro-optical package | 438/5 | 257/E25.032; 438/163; 438/41; 438/45 | Wei; Chengping et al. |
| US 5723950 A | 19980303 | Pre-charge driver for light emitting devices and method | 315/169.3 | 315/307; 345/78 | Wei; Chengping et al. |
| US 5708398 A | 19980113 | Dual voltage controlled oscillator using integrated transistor and | 331/115 | 331/108C; 331/117D; 331/117FE; | Shen; Jun et al. |

| | | | | | |
|--------------|----------|---|---------|---|--------------------------|
| | | negative differential resistance diode | | 331/177R | |
| US 5703394 A | 19971230 | Integrated electro-optical package | 257/433 | 257/431; 257/432; 257/774; 257/79; 257/81; 257/82; 257/E25.032 | Wei; Chengping et al. |
| US 5693956 A | 19971202 | Inverted oleds on hard plastic substrate | 257/40 | 257/100; 257/103; 257/679; 257/680; 257/88; 257/91 | Shi; Song Q. et al. |
| US 5684368 A | 19971104 | Smart driver for an array of LEDs | 315/302 | 315/169.3; 315/297; 315/316; 345/82; 345/83 | Wei; Chengping et al. |
| US 5659180 A | 19970819 | Heterojunction interband tunnel diodes with improved P/V current ratios | 257/25 | 257/18; 257/22; 257/23; 257/E29.339 | Shen; Jun et al. |
| US 5587944 A | 19961224 | High density multistate SRAM and cell | 365/175 | 365/105 | Shen; Jun et al. |
| US 5576069 A | 19961119 | Laser remelting process for plasma-sprayed zirconia coating | 427/454 | 427/350; 427/419.3; 427/553; 427/554; 427/556 | Chen; Chun et al. |
| US 5563087 A | 19961008 | Method of fabricating InAs/GaSb/AlSb material system SRAM | 438/507 | 257/E21.661; 257/E27.098; 438/604; 438/979 | Shen; Jun et al. |
| US 5552330 A | 19960903 | Resonant tunneling fet and methods of fabrication | 438/172 | 257/E21.123; 257/E21.399; 257/E27.012; 257/E29.241; 438/179; 438/571 | Tehrani; Saied N. et al. |
| US 5489785 A | 19960206 | Band-to-band resonant tunneling transistor | 257/23 | 257/197; 257/24; 257/25; 257/E29.192 | Tehrani; Saied N. et al. |
| US 5482199 | 19960109 | Electric soldering iron | 228/52 | | Walker; Leroy |

| | | | | | |
|--------------|----------|---|---------|--|--------------------------|
| A | | having solder holding means | | | |
| US 5477169 A | 19951219 | Logic circuit with negative differential resistance device | 326/55 | | Shen; Jun et al. |
| US 5449922 A | 19950912 | Bipolar heterojunction diode | 257/25 | 257/12; 257/198; 257/201; 257/22; 257/E29.091; 257/E29.339 | Shen; Jun et al. |
| US 5427965 A | 19950627 | Method of fabricating a complementary heterojunction FET | 438/169 | 148/DIG.15; 148/DIG.160; 148/DIG.72; 257/E27.012; 257/E27.062; 438/172 | Tehrani; Saied N. et al. |
| US 5414274 A | 19950509 | Quantum multifunction transistor with gated tunneling region | 257/25 | 257/192; 257/20; 257/22; 257/23; 257/24; 257/27; 257/E29.242 | Goronkin; Herbert et al. |
| US 5412224 A | 19950502 | Field effect transistor with non-linear transfer characteristic | 257/15 | 257/20; 257/E29.05; 257/E29.056; 257/E29.246 | Goronkin; Herbert et al. |
| US 5410160 A | 19950425 | Interband tunneling field effect transistor | 257/15 | 257/20; 257/E29.194; 257/E29.242 | Goronkin; Herbert et al. |
| US 5355005 A | 19941011 | Self-doped complementary field effect transistor | 257/192 | 241/293; 257/194; 257/24; 257/274; 257/E27.012; 257/E27.068; 257/E29.249 | Tehrani; Saied et al. |
| US 5349214 A | 19940920 | Complementary heterojunction device | 257/192 | 257/194; 257/24; 257/27; 257/29; 257/E27.012; 257/E27.062 | Tehrani; Saied N. et al. |
| US 5326985 A | 19940705 | Bipolar doped semiconductor structure | 257/22 | 257/197; 257/201; | Goronkin; Herbert et al. |

| | | | | | |
|-----------------|----------|---|---------|---|-----------------------------|
| | | and method for making | | 257/21; 257/25; 257/E29.249 | |
| US 5298763 A | 19940329 | Intrinsically doped semiconductor structure and method for making | 257/22 | 257/14; 257/197; 257/201; 257/25; 257/E29.107 | Shen; Jun et al. |
| US 5298441 A | 19940329 | Method of making high transconductance heterostructure field effect transistor | 438/172 | 117/105; 148/DIG.97; 257/E29.254; 438/197; 438/495 | Goronkin; Herbert et al. |
| US 5294809 A | 19940315 | Resonant tunneling diode with reduced valley current | 257/17 | 257/201; 257/22; 257/23; 257/25; 257/E29.34 | Goronkin; Herbert et al. |
| US 5289014 A | 19940222 | Semiconductor device having a vertical quantum well via and method for making | 257/14 | 257/183; 257/22; 257/24; 257/E29.322 | Goronkin; Herbert et al. |
| US 5280180 A | 19940118 | Interconnect structure for coupling semiconductor regions and method for making | 257/14 | 257/183; 257/22; 257/24; 257/E23.168 | Goronkin; Herbert et al. |
| US 5270225 A | 19931214 | Method of making a resonant tunneling semiconductor device | 438/312 | 257/104; 257/14; 257/19; 257/21; 257/25; 257/9; 257/E21.387; 257/E29.192; 438/496 | Goronkin; Herbert et al. |
| US 5232003 A | 19930803 | Soft contact lens cleaner | 134/158 | 134/162; 134/901 | Wei; Hsu C. et al. |
| US 5221849 A | 19930622 | Semiconductor device with active quantum well gate | 257/20 | 257/289; 257/366; 257/E27.012; 257/E29.05; 257/E29.242 | Goronkin; Herbert et al. |
| US 5178454 A | 19930112 | Decorative lamp post | 362/431 | 362/153; 362/396; 362/653 | Lai; Wei-Cheng |
| US 5153893 | 19921006 | Aerodynamic window | 372/104 | | Shen; Junguan et |

| | | | | | |
|-----------------|----------|--|-----------|--|-----------------------------------|
| A | | | | | al. |
| US 5091182 A | 19920225 | Dispensing units for ketorolac topical gel formulations | 424/400 | 514/817; 514/886; 514/887; 514/944; 514/947 | Ong; John T. H. et al. |
| US 4944464 A | 19900731 | Solder dispensing apparatus and method of operation | 242/564.4 | 226/127; 226/187; 226/188; 226/90; 242/588.2; 242/916 | Zelenka; Jerry L. |
| US 4883942 A | 19891128 | Low voltage heating element for portable tools | 219/227 | 219/225; 219/229; 219/236; 392/409 | Robak, Sr.; Frank E. et al. |
| US 4793541 A | 19881227 | Soldering gun having finger actuated feed unit apparatus | 228/52 | 219/229; 228/53 | Dravnieks; Konstantins |
| US 4688709 A | 19870825 | Wire solder feeder device | 226/128 | 226/151; 226/162 | Minor; Mathew T. |
| US 4434925 A | 19840306 | Strip solder feeding and re-winding device | 242/390.8 | 226/127; 228/53; 242/564.4 | Jacobs; Joseph M. |
| US 4138048 A | 19790206 | Motorized tinsel decorating tool | 226/152 | 226/127; 226/181; 226/188; 226/196.1; 228/52; 242/615.3 | Lemmon; James A. |
| US 3990622 A | 19761109 | Apparatus for soldering | 228/53 | 219/242; 228/41; 228/52 | Schurman, Jr.; David B. et al. |
| US 3796856 A | 19740312 | SOLDER FEEDING ELECTRIC SOLDERING IRON | 219/230 | 219/235; 219/238; 226/127; 226/155; 228/53 | Wei-Cheng; Kuo |
| US 3792228 A | 19740212 | ELECTRIC SOLDERING IRON | 219/230 | 219/235; 219/238; 219/240; 226/127; 226/155; 228/53 | Wei-Cheng; Kuo |